

59  
635  
Cdt  
Rov

# PIANTE SEMPREVERDI

Disponibili l'Autunno 1862 e Primavera 1863.

## PRESSO LI FRATELLI ROVELLI

IN  
PALLANZA (Lago Maggiore)

	alt. metri	L. Cent.		alt. metri	L. Cent.
Abelia rupestris	—	4 a 5	Magnolia fuscata	4 —	40 —
grandiflora	4 —	3 a 6	"  "  "	4 50	20 —
uniflora	—	4 a 3	"  "  "	2 —	50 —
Acacia albicans	4 50	5 —	grandiflora e praecox.	4 —	3 —
dealbata	2 a 3	5 —	"  "  "	2 —	6 —
pulverulenta.	2 a 3	5 —	"  "  "	3 —	42 —
Arbutus unedo.	4 —	40 —	"  "  "	4 —	25 —
"  "  "	4 —	4 50	"  "  "	5 —	50 —
"  "  "	2 —	3 —	Hartwicus	4 —	5 —
"  "  "	3 —	8 —	"  "  "	4 50	40 —
Aukuba Japonica	—	4 —	"  "  "	2 —	20 —
Azalea indica varietà	0 50	3 —	Mahonia aquifolium	0 50	2 —
"  "  "	4 —	40 —	"  "  "	4 —	3 —
Benthamia fragifera.	4 50	4 50	beali	—	3 a 40
"  "  "	2 —	2 —	dealbata	—	2 a 5
Buddleja globosa	4 —	4 —	Fortunei	4 —	2 a 5
Lindleyana	4 —	4 —	intermedia	—	5 a 40
macrantha	4 —	3 —	Japonica	—	3 a 40
species nova.	4 —	2 —	Neubertii	—	2 a 5
Buxus arborescens	—	4 a 2	trifurca	—	10 a 20
balearica	4 —	2 a 5	Mespilus Japonica	4 —	3 —
foliis variegatis	—	4 —	"  "  "	4 50	6 —
gracilis	4 —	2 —	"  "  "	2 —	42 —
"  "  "	4 30	4 —	Nandina domestica	4 —	4 —
ovalifolia	—	4 a 2	Olea fragrans	4 —	40 —
pumila	—	4 —	"  "  "	4 50	25 —
rosmarinifolia	—	4 a 2	sinensis	4 a 2	6 a 20
Camellie doppie varietà (1)	2 —	40 —	Prunus caroliniana	2 —	3 —
"  "  "	3 —	20 —	"  "  "	3 —	5 —
Ceanothus albiflorus	4 —	4 a 3	lauro cerasus	4 —	0 50
caeruleus	4 —	4 a 3	"  "  "	4 50	4 —
thyriflorus	4 —	2 a 5	"  "  "	2 —	2 —
Clejera japonica	—	2 a 5	"  "  "	3 —	4 —
Coletia bitonensis	—	2 a 5	"  "  "	4 —	5 —
spinosa	—	2 —	"  "  "	4 50 a 2	3 —
Cotoneaster buxifolia	4 —	4 —	"  "  "	4 —	2 —
crenulata	4 —	4 50	"  "  "	2 —	4 —
Hookeri	4 —	2 —	"  "  "	4 —	4 —
microphylla	4 —	4 —	"  "  "	4 —	4 —
rotundifolia	4 —	4 —	"  "  "	4 —	4 —
Gratægus glabra	2 —	3 —	"  "  "	4 —	4 —
glauca e nepalensis	2 —	3 —	"  "  "	4 —	4 —
Eleagnus ferruginea.	4 —	3 —	"  "  "	4 —	4 —
reflexa	2 —	3 —	"  "  "	4 50	3 —
variegata	2 —	5 —	Quercus ballota	—	2 a 5
Escalonia alba	4 —	2 a 5	banisterii	—	3 a 6
floribunda.	4 —	2 a 5	callosa	—	3 a 6
grandiflora	4 —	2 a 5	coccoifera	—	2 a 5
rosea	4 —	2 —	confertifolia	—	3 a 6
rubra	4 —	2 —	crispophylla	—	3 a 6
viscosa	4 —	2 a 5	dealbata	—	3 a 6
Evonimus fimbriatus	4 —	3 —	foordi	—	2 a 5
"  "  "	4 50	5 —	gramantia	—	2 a 5
Japonicus	4 —	4 50	heterophylla	—	2 a 5
"  "  "	4 50	2 —	hispanica	—	2 a 5
foliis variegatis	4 50	2 —	ilex	4 —	2 —
Haloragis capensis	4 —	2 —	"  "  "	2 —	3 —
"  "  "	2 —	4 —	"  "  "	3 —	4 —
Ilex aquifolium	4 —	4 50	"  "  "	4 —	6 —
"  "  "	4 50	3 —	"  "  "	—	—
"  "  "	2 —	4 —	"  "  "	—	—
variegati diversi	0 50 a 1	2 a 5	"  "  "	—	—
Japonica	4 50	40 —	"  "  "	—	—
Kalmia latifolia	0 75	4 —	"  "  "	—	—
"  "  "	4 —	8 —	"  "  "	—	—
Laurus camphora (vaso)	0 80	6 —	"  "  "	—	—
glandulosa id.	0 50	3 —	"  "  "	—	—
"  "  "	4 —	6 —	"  "  "	—	—
glauca	—	2 —	"  "  "	—	—
nobilis	4 50	4 —	"  "  "	—	—
"  "  "	2 50	3 —	"  "  "	—	—
angustifolia	—	2 —	"  "  "	—	—
regalis.	—	5 —	"  "  "	—	—
Ligustrum angustifolium	4 —	4 a 3	"  "  "	—	—
californicum	4 —	4 a 3	"  "  "	—	—
Japonicum	2 —	4 50	"  "  "	—	—
"  "  "	3 —	2 50	"  "  "	—	—
syringæflorum	4 —	2 a 5	"  "  "	—	—

(1) Per le Camellie imbricate ed anche di forza maggiore, i Signori Amatori potranno intendersi per lettera.



		L.	Cent.
Viburnum lucidum grandiflorum	alt. met. 4 —	3 —	—
"	" 2 —	8 —	—
" plicatum	" 4 —	5 —	—
" sinense	" 4 —	3 —	—
"	" 4 50	6 —	—
" suspensum	" 4 a 2	3 a 6	—
" tinus	" 4 —	4 —	—
"	" 4 50	2 —	—
"	" 2 —	3 —	—
"	" 2 50	3 —	—
" foliis variegatis	" 4 —	3 —	—

### Sempreverdi resinose.

Abies americana	" 4 50	2 —	—
" canadensis	" 2 —	3 —	—
"	" 3 —	4 —	—
" Douglasii	" 4 —	6 —	—
"	" 2 —	10 —	—
" fraserii	" 4 —	20 —	—
" menziesii	" 4 50	5 —	—
"	" 2 50	6 —	—
" morinda	" 4 —	40 —	—
"	" 4 50	5 —	—
" nigra	" 4 —	40 —	—
"	" 4 50 a 2	4 —	3 —
" nordmaniana	" 4 —	2 a 3 —	—
" orientalis	" 4 50	20 —	—
" pinsapo	" 4 50	40 —	—
" spectabilis	" 4 —	30 —	—
" taxifolia	" 4 —	4 50	—
"	" 4 50	2 —	—
"	" 2 —	3 —	—
"	" 3 —	6 —	—
Araucaria brasiliensis	(vaso) 0 60	3 —	—
" imbricata	id. 0 50	25 —	—
"	id. 4 —	80 —	—
Cedrus deodara	id. 4 —	5 —	—
"	id. 4 25	8 —	—
"	id. 4 50	40 —	—
"	id. 2 —	45 —	—
"	id. 2 50	20 —	—
"	id. 3 —	30 —	—
"	id. 4 —	40 —	—
" crassifolia	id. 4 —	8 —	—
" robusta	id. 4 50	42 —	—
" viridis	id. 4 —	5 —	—
" libani	id. 2 —	40 —	—
"	id. 2 50	45 —	—
"	id. 3 —	20 —	—
Cephalotaxus Fortunei	" 0 50	6 —	—
"	" 4 —	40 —	—
Cryptomeria Japonica	" 2 —	3 —	—
"	" 3 —	5 —	—
"	" 4 —	10 —	—
" Lobbii	" 4 50	3 —	—
"	" 2 a 3	10 a 20	—
" nana	" 4 —	4 a 6	—
" viridis	" 4 —	3 —	—
Cupressus funebris (vaso).	" 2 —	5 —	—
"	" 2 50	8 —	—
"	" 3 —	45 —	—
" glauca	" 4 —	3 —	—
"	" 2 —	40 —	—
"	" 2 50	45 —	—
" pendula	" 2 —	20 —	—
" Goviniana (vaso)	" 4 —	3 —	—
"	" 4 50	5 —	—
" gracilis (vaso)	" 4 —	5 —	—
"	" 2 —	20 —	—
"	" 3 —	40 —	—
" horizontalis	" 2 —	3 —	—
" Knighthiana	" 4 50	40 —	—
" Lambertiana (vaso)	" 4 —	5 —	—
"	" 2 —	42 —	—
" Lindleyana	" 4 50	8 —	—
"	" 2 —	45 —	—
" majestica (vaso)	" 4 —	8 —	—
"	" 2 —	20 —	—
" pyramidalis	" 4 —	2 —	—
"	" 2 —	3 —	—
" torulosa (vaso)	" 4 50	40 —	—
"	" 2 —	20 —	—
"	" 3 —	35 —	—
"	" 4 —	50 —	—
" elegans	" 4 50	42 —	—
"	" 2 —	20 —	—
" thuioides	" 4 —	4 —	—
"	" 2 —	40 —	—

		L.	Cent.
Juniperus gossainthanea.	alt. metri 4 —	3 a 5	—
" hibernica	" 4 —	3 a 5	—
" mexicana	" 4 —	3 a 5	—
" phænicea	" 4 —	3 a 5	—
" sabina	"	4 a 3	—
" elegantissima	"	2 a 5	—
" squammata	" 4 —	2 a 5	—
" succica pyramidalis	"	—	—
" virginiana	" 4 —	4 —	—
"	" 4 50	2 —	—
"	" 2 —	2 50	—
"	" 2 50	3 —	—
" Chamberleyi	"	3 a 6	—
" cinerescens	"	2 a 5	—
Libocedrus chilensis	" 4 —	10 —	—
"	" 4 50	20 —	—
" viridis	" 4 —	45 —	—
Pinus gracilis	" 4 —	40 —	—
" cembra (vaso)	" 4 40	6 —	—
" del doctor	" 4 50	40 —	—
" horizontalis	" 4 —	40 —	—
" insignis	" 2 —	40 —	—
" lanecolata	" 4 50	3 —	—
"	" 2 50	5 —	—
"	" 3 50	8 —	—
" laricio	" 4 50	3 —	—
" Lejophilla	" 4 50	40 —	—
" Llavecana	" 4 25	5 —	—
"	" 4 80	40 —	—
"	" 2 —	45 —	—
" maritima	" 4 50	2 —	—
"	" 3 —	5 —	—
" monspelliensis (vaso)	" 4 50	4 —	—
" mugo	" 0 75	4 —	—
" nigra (Austriaca)	" 4 25	2 —	—
" patula (vaso)	" 4 50	20 —	—
" pinca id.	" 4 —	40 —	—
" Planchonii id.	" 4 —	5 —	—
" robusta id.	" 4 —	8 —	—
" rudis id.	" 4 —	5 —	—
" sabiniana id.	" 4 —	40 —	—
" id.	" 4 50	45 —	—
" strobis	" 4 —	2 —	—
"	" 2 —	3 —	—
"	" 3 50	5 —	—
"	" 4 —	6 —	—
" excelsa	" 4 50	5 —	—
"	" 2 —	40 —	—
" compressa (vaso)	" 4 —	5 —	—
" Vincosteriana id.	" 4 —	20 —	—
Retinospora ericoides id.	" 0 50	5 —	—
Podocarpus maki	" 4 —	5 —	—
Sequoia gigantea (Wellingtonia) (vaso)	" 0 50	20 —	—
" id.	" 0 80	50 —	—
" id.	" 4 —	75 —	—
" id.	" 4 50	400 —	—
Taxodium disticum	" 4 —	4 —	—
"	" 2 —	3 —	—
" sempervirens	" 4 —	5 —	—
Taxus baccata	" 4 50	3 —	—
"	" 2 —	4 —	—
"	" 3 —	6 —	—
" hibernica	" 4 50	8 —	—
"	" 2 —	40 —	—
Thuia asplenifolia	" 4 —	5 —	—
" aurca	"	3 a 50	—
" compacta	"	3 a 30	—
" filiformis	" 4 50	6 —	—
" gigantea (vaso)	" 4 —	25 —	—
" id.	" 4 50	50 —	—
" incurvata	" 4 —	10 —	—
" meldensis	" 4 20	6 —	—
" nepalensis	" 4 —	6 —	—
" occidentalis	" 4 —	3 —	—
"	" 2 —	6 —	—
" orientalis	" 2 —	4 —	—
" plicata	" 4 —	5 —	—
" pyramidalis	" 4 —	2 —	—
"	" 2 —	5 —	—
" sibirica	" 4 —	3 —	—
" Skinnerii	" 4 —	4 —	—

### A foglie caduche.

Abelia triflora	" 4 —	2 —	—
"	" 4 50	2 —	—
Acacia julibrissin	" 2 —	2 —	—
"	" 3 —	3 —	—
Ailantus glandulosa	" 3 —	4 —	—







## European Nursery Catalogues

A virtual collection project by:

Deutsche Gartenbaubibliothek e.V.

Paper version of this catalogue hold by:

Conservatoire et Jardin botaniques, Genève

Digital version sponsored by:

C.A. Wimmer

COMMERCIAL USE FORBIDDEN  
Attribution-NonCommercial 4.0 International  
(CC BY-NC 4.0)